

Table 7. Summary of spring fyke net catch for the Cloverleaf Chain, Shawano County, April 17-23, 2008. Total effort = 53 net days. (-) indicates no data was collected.

Species	1	2	3	4	5	6	7	8	Total	CPUE	Comp. (%)
BLACK BULLHEAD	-	-	-	1	1	2	2	-	6	0.1	0.1
BLACK CRAPPIE	242	488	68	146	505	134	230	74	1887	35.6	36.2
BLUEGILL	529	619	114	306	286	94	205	128	2281	43.0	43.8
BOWFIN	1	-	1	-	1	1	-	-	4	0.1	0.1
BROWN BULLHEAD	4	-	3	3	1	2	2	1	16	0.3	0.3
COMMON CARP	-	-	-	-	-	1	2	-	3	0.1	0.1
LARGEMOUTH BASS	16	9	10	5	12	3	16	13	84	1.6	1.6
MUSKELLUNGE	5	10	16	4	28	12	13	9	97	1.8	1.9
NORTHERN PIKE	21	36	10	10	38	15	18	11	159	3.0	3.1
PUMPKINSEED	11	18	19	21	25	19	13	14	140	2.6	2.7
ROCK BASS	76	113	27	39	63	21	30	46	415	7.8	8.0
WALLEYE	-	3	3	4	4	-	1	-	15	0.3	0.3
WHITE SUCKER	-	2	-	-	-	-	-	-	2	0.0	0.0
YELLOW BULLHEAD	8	12	3	10	1	16	7	1	58	1.1	1.1
YELLOW PERCH	1	5	-	31	-	2	1	-	40	0.8	0.8
Grand Total	914	1315	274	580	965	322	540	297	5207	98.2	

Table 8. Summary of spring electrofishing catch for the Cloverleaf Chain, Shawano County, May 21st, 2008. (-) indicates no data was collected.

Species	STATION A	STATION B	STATION C	STATION D	STATION E	Grand Total	Mean Catch	CPE Catch/Hr	CPE Catch/mile	Comp. (%)
BLACK CRAPPIE	-	-	-	4	-	4	2.0	7.5	4.0	0.8
BLUEGILL	-	60	-	163	-	223	111.5	418.1	223.0	43.0
BLUNTNOSE MINNOW	-	4	-	-	-	4	2.0	7.5	4.0	0.8
BROOK SILVERSIDE	-	-	-	2	-	2	1.0	3.8	2.0	0.4
BROWN BULLHEAD	-	1	-	1	-	2	1.0	3.8	2.0	0.4
COMMON CARP	-	-	-	3	-	3	1.5	5.6	3.0	0.6
GOLDEN SHINER	-	-	-	1	-	1	0.5	1.9	1.0	0.2
LARGEMOUTH BASS	31	22	62	21	3	139	23.2	65.4	31.9	26.8
NORTHERN PIKE	9	3	5	4	1	22	3.7	10.4	5.0	4.2
PUMPKINSEED	-	3	-	12	-	15	7.5	28.1	15.0	2.9
ROCK BASS	-	30	-	10	-	40	20.0	75.0	40.0	7.7
YELLOW BULLHEAD	-	1	-	4	-	5	2.5	9.4	5.0	1.0
YELLOW PERCH	-	36	-	27	-	63	31.5	118.1	63.0	12.1
Grand Total	40	160	67	252	4	519				